



Double Knitting Machine

双面针织大圆机

Circular Knitting Machine Series · YSFN

针织大圆机产品系列 — YSFN 机型

Shenzhen Yousee Technology Co., Ltd.

深圳市宇欣达五金电子有限公司

www.youseetech.com · liu@youseetech.com

October 2026 · Focus on the long-term investment

Product catalogue · 产品手册



YSFN series · single-bed & double-bed circular knitting machines



Contents

目录

Company profile	公司简介	03
Manufacturing capability	制造实力	04
Product portfolio	产品线总览	05
Product details — fibre & textile	产品详解·纺织与麻纤维	06
Product details — process equipment	产品详解·工业装备	07
Product details — instrumentation & logistics	产品详解·检测与物流	08
Product details — printing & marking	产品详解·印刷与标识	09
Circular knitting machine series	针织大圆机系列	10
Machine 01 · Plain single-jersey & single fleece	机型 01 · 普通单面、单面卫衣	11
Machine 02 · Plain double-jersey	机型 02 · 普通双面	12
Machine 03 · Single-jersey jacquard open width	机型 03 · 单面提花开幅	13
Machine 04 · Single-jersey jacquard	机型 04 · 单面提花	14
Machine 05 · Double-jersey jacquard	机型 05 · 双面提花	15
Machine 06 · Single-jersey fancy yarn	机型 06 · 单面调线	16
Machine 07 · Double-jersey fancy yarn	机型 07 · 双面调线	17
Machine 08 · Single-jersey jacquard fancy yarn	机型 08 · 单面提花调线	18
Machine 09 · Double-jersey jacquard fancy yarn	机型 09 · 双面提花调线	19
Specification summary	机型规格总表	20
Applications & fabrics	应用与织物	21
Contact us	联系我们	22



About Shenzhen Yousee Technology

公司简介

深圳宇欣达五金电子有限公司成立于 2007 年 11 月，位于深圳市宝安区福永街道。公司作为自动化包装机械与麻纤维自动化生产线的专业制造商，集研发、制造、销售与服务于一体。

Shenzhen Yousee Technology Co., Ltd. was established in November 2007 in Fuyong Street, Bao'an District, Shenzhen. As a professional manufacturer of automated packaging machinery and hemp fibre automated production lines, we integrate R&D, manufacturing, sales and service under one roof.

作为荷兰 Vogel's 与 International Flexible Solution（金属冲压件与工装夹具）的长期优选供应商，公司自创立以来即与欧洲伙伴建立了稳固的深度合作关系。

We have been the best supplier of Vogel's and International Flexible Solution, two Dutch companies dealing mainly in metal stamping parts and jigs, and have built strong international partnerships since our early days.

公司秉承“质量第一、价格合理、交货及时”的服务理念，汇聚十余年包装系统领域的技术人才，持续创新设计并制造高性能设备，为客户创造更大价值。

Our service tenet is "quality first, reasonable price, timely delivery". With more than ten years of experience in packaging systems, our team keeps innovating to design and manufacture high-quality, high-performance equipment.

Our journey

发展历程

- 2007** 公司创立于深圳市宝安区福永街道
Founded in Fuyong Street, Bao'an District, Shenzhen
- 2010** 购入激光切割设备，开始钣金加工与简单机械项目
Purchased laser-cutting equipment; started sheet-metal processing and simple machinery projects
- 2013** 研发军工自动化设备相关产品
Developed products related to military automation equipment
- 2015** 从事自动化机器的研发、设计与装配
Engaged in R&D, design and assembly of automated machines
- 2020** 与南美洲哥伦比亚建立合作，拓展区域市场
Partnership with Colombia, South America, to expand regional business
- 2020** 深耕行业十七年以上，服务全球大型制造企业
17+ years in the industry, serving major manufacturers worldwide

2007

Established

November 2007

17+

Years

in the industry

3

Business lines

Packaging · Fibre · Knitting

Worldwide

Service area

Domestic & international



Factory tour & quality control

工厂车间与质量控制



Assembly workshop — Shenzhen Yousee Technology



Warehouse — Shenzhen Yousee Technology



Quality-Testing Parts Before Assembling

Workshops

生产车间

Assembly Workshop 1

装配车间一 — 激光切割、钣金加工与复杂机械装配

Assembly Workshop 3

装配车间三 — 自动化包装机械精密装配与质量控制

Plastic Processing Workshop

塑胶加工车间 — 注塑与塑胶件、精密塑料部件生产

Ready to Ship

成品待发区 — 经质检的成品机械准备发往全球

Assembly Workshop 2

装配车间二 — 麻纤维生产线设备装配与调试

CNC Machining Workshop

CNC 加工车间 — 高精度数控车床与加工中心制造金属零件

Electronic Assembly Workshop

电子装配车间 — PCB 装配、线束制作与控制系统集成

Organisation

组织架构

总经理	销售部	研发部
生产部	品质部	仓储
采购部	财务部	行政部
售后服务	管理者代表	生产线

Quality control — three-stage inspection

品质控制 — 三道检验

来料检验 IQC

过程检验 IPQC

成品检验 OQC



Our products

13 product groups from youseetech.com · 按四条产品线组织

Fiber Cutting Machine

麻纤维切段机

Multiple Output Configurations



High Temperature Pressure Dyeing Machine

高温高压染色机

SS316L Stainless Steel Textile Dyeing



Industrial Dehydrator for Garments & Fabrics

工业脱水烘干机

Heavy-Duty Textile Drying Equipment



Knitting Machine

织针织机

Double knitting Solutions



Automatic Gyro Mixer

自动公转搅拌机

Industrial Mixing Equipment



Thermoelectric Generator

温差热发电装置

Firewood Generator, Heat Source Generator



3D Printer

工业 3D 打印机

Large-Format Industrial Monochrome



Tension Meter

纱线张力计

Yarn, Fiber & Metal Thread Tension Measurement



Air Leak Detector Meter

气密性检测仪

Industrial Airtightness Tester



WMS DPS/PTL Digital Picking System

WMS 数字化拣选系统

Pick-to-Light Warehouse Solution



Pad Printing Machine

移印机

YS-562P Monochrome Industrial Printer



Tagging Machine

打标机

Nylon Tag Pin Applicator



Inkjet Printing Machine

工业喷墨打印机

Model YS 6198



Packaging & conveying systems · Hemp fibre & textile lines · Industrial instrumentation · Printing and marking equipment

自动化包装输送系统 · 麻纤维与纺织生产线 · 工业检测仪器 · 印刷与标识设备
Shenzhen Yousee Technology Co., Ltd. · 深圳市宇欣达五金电子有限公司

Focus on the long-term investment



Fiber & Textile Production

纺织与麻纤维生产线

Fiber Cutting Machine

麻纤维切段机

Multiple Output Configurations

Versatile fiber cutting machine with multiple output configurations, engineered for precision cutting of hemp fibre, textile fibre and synthetic materials, and designed for continuous production-line integration.

多出料配置的麻纤维切段机，可精确切断麻纤维、纺织纤维及合成材料，适配连续生产线集成。

切割配置 Multiple

适用材料 Hemp / textile / synthetic

应用 Fiber & textile lines



youseetech.com/products/fiber-cutting-machine/

High Temperature Pressure Dyeing Machine

高温高压染色机

SS316L Stainless Steel Textile Dyeing

Industrial high temperature and pressure dyeing machine with an SS316L stainless steel body for demanding textile dyeing: 140 °C maximum temperature and 3 kg maximum pressure.

采用 SS316L 不锈钢釜体的工业级高温高压染色机，最高温度 140 °C、最大压力 3 kg，适配高要求织物染色。

最高温度 140 °C

最大压力 3 kg

浴比 = 1:15

电机功率 2.2 kW



youseetech.com/products/high-temperature-pressure-dyeing-machine/

Industrial Dehydrator for Garments & Fabrics

工业脱水烘干机

Heavy-Duty Textile Drying Equipment

Heavy-duty industrial dehydrator with stainless steel construction, frequency-converter speed regulation and pneumatic cover opening, for cotton, polyester and blended fabrics.

重型工业脱水机，不锈钢机身、变频调速、气动开盖，适用于棉、涤纶及混纺织物。

处理容量 80 kg (customisable)

主电机 4 kW

外形尺寸 150 × 150 × 80 cm

机身 Stainless steel



youseetech.com/products/dehydrator/

Fabric Carts & Material Handling Carts

布车与物料搬运车

Industrial Material Handling Solutions

Comprehensive range of heavy-duty material handling carts and trolleys for textile, printing and dyeing factories — fabric carts, unloading carts, turnover boxes and linen carts.

面向纺织、印染工厂的重型物料搬运车系列，涵盖布车、卸布车、翻料箱与方形布车等。

主要用途 Printing & dyeing mills 结构 Heavy-duty industrial

品种 Carts, trolleys, turnover boxes



youseetech.com/products/fabric-carts/

Process & Industrial Equipment

工业装备与成型设备



Automatic Gyro Mixer

自动公转搅拌机

Industrial Mixing Equipment

High-performance automatic gyro mixer with a precision timer, dual speed ranges and a heavy-duty 750 W motor, for consistent results batch after batch.

高性能自动公转搅拌机，配备精确定时、大小桶双转速与 750 W 重载电机，批次间结果一致。

搅拌容量 1 – 35 kg

大桶转速 50 – 100 rpm

小桶转速 50 – 150 rpm

电机功率 750 W

youseetech.com/products/automatic-gyro-mixer/



Thermoelectric Generator

温差热发电装置

Firewood Generator, Heat Source Generator

Thermoelectric generator (15 W / 35 W / 45 W) for off-grid power from any heat source, with 12 VDC and 5 V USB output and a maximum operating temperature of 450 °C.

温差发电装置 (15 W / 35 W / 45 W)，以任意热源离网发电，提供 12 VDC 与 5 V USB 输出，最高工作温度 450 °C。

输出功率 15 W / 35 W / 45 W

输出接口 12 VDC + 5 V USB

最高温度 450 °C

整机重量 8.0 – 8.5 kg

youseetech.com/products/thermoelectric-generator/

3D Printer

工业 3D 打印机

Large-Format Industrial Monochrome

Large-format industrial monochrome 3D printer for prototyping, manufacturing tooling and small-batch production, with a 500 × 500 × 500 mm build volume.

大型工业单色 3D 打印机，适用于工业打样、工装夹具与小批量生产，成型空间 500 × 500 × 500 mm。

成型尺寸 500 × 500 × 500 mm

打印速度 10 – 600 mm/s

打印模式 Monochrome

电源 110 V, 60 Hz, 1-phase



youseetech.com/products/non-fried-puffed-snack-food-production-line/

More models available

更多机型可定制

All machines can be configured with different diameters, gauges and feeder counts. Contact our team for a tailored specification and quotation.

所有机型均可按不同直径、针数与路数配置，欢迎联系我们获取专属选型方案与报价。

llu@youseetech.com · www.youseetech.com



Instrumentation & Logistics

检测仪器与物流系统



Tension Meter

纱线张力计

Yarn, Fiber & Metal Thread Tension Measurement

High-precision tension meter for yarn, fibre and metal thread — 1 % full-scale accuracy, up to 900 m/min line speed, models YS-50 / YS-100 / YS-200.

高精度纱线、纤维与金属线张力计，1% 满量程精度，最高线速度 900 m/min，型号 YS-50 / YS-100 / YS-200。

精度 1 % FS

量程 0.3 – 200 cN

最大线速 900 m/min

显示 Dot matrix LCD

youseetech.com/products/tension-meter/



Air Leak Detector Meter

气密性检测仪

Industrial Airtightness Tester

Precision leak detector for industrial quality control — fills the component with compressed air and monitors pressure decay to identify leaks fast and accurately.

工业质检用精密气密性检测仪，以压缩空气充注被测件并监测压力衰减。快速准确地判定泄漏。

检测方式 Pressure decay

应用领域 Aerospace, petroleum, automotive

用途 Sealing quality control

youseetech.com/products/air-leak-detector-meter/



WMS DPS/PTL Digital Picking System

WMS 数字化拣选系统

Pick-to-Light Warehouse Solution

Digital Picking System (DPS) / Pick-to-Light (PTL) for warehouse management — electronic shelf tags with light indicators and displays, wired for reliable real-time operation.

WMS 数字化拣选系统 (DPS/PTL)：电子货架标签带指示灯与显示屏，有线通信保证实时可靠运行。

通信方式 Wired, real-time

标签 Light + digital display

效益 Fewer errors, higher productivity

youseetech.com/products/wms-dps-ptl-system/

More models available

更多机型可定制

All machines can be configured with different diameters, gauges and feeder counts. Contact our team for a tailored specification and quotation.

所有机型均可按不同直径、针数与路数配置，欢迎联系我们获取专属选型方案与报价。

llu@youseetech.com · www.youseetech.com



Printing & Marking

印刷与标识设备



Pad Printing Machine

移印机

YS-562P Monochrome Industrial Printer

High-speed pad printing machine — 1,500–2,200 prints per hour on a 120 × 120 mm printing area, for logos, serial numbers and markings on plastic, metal, glass and ceramic parts.

高速移印机，印速 1,500–2,200 次/小时，印幅 120 × 120 mm，可在塑料、金属、玻璃与陶瓷件上打印标识、流水号。

型号 **YS-562P** 印幅 **120 × 120 mm**
印速 **1,500 – 2,200 prints/h** 功率 **110 V, 40 W**

youseetech.com/products/pad-printing-machine/



Tagging Machine

打标机

Nylon Tag Pin Applicator

Fast, ergonomic nylon tag-pin applicator for attaching labels and tags to garments, textiles and retail products with minimal maintenance.

快速人体工学尼龙吊牌针机，用于服装、纺织品与零售商品的标签挂附，维护需求极低。

适用 **Standard nylon tag pins** 作业对象 **Garments & textiles**
特点 **Ergonomic, low maintenance**

youseetech.com/products/tagging-machine/



Inkjet Printing Machine

工业喷墨打印机

Model YS 6198

High-speed industrial inkjet printer — 8 Epson 3200/4720 print heads, 3200 DPI accuracy and up to 370 m²/h output for textile printing and packaging decoration.

高速工业喷墨打印机，8 个 Epson 3200/4720 喷头，3200 DPI 精度，最高 370 m²/h，适用于纺织印花与包装装饰。

型号 **YS 6198** 喷头 **8 × Epson 3200/4720**
精度 **3200 DPI** 产能 **370 m²/h (8 PCS, 1 pass)**

youseetech.com/products/inkjet-printing-machine/

More models available

更多机型可定制

All machines can be configured with different diameters, gauges and feeder counts. Contact our team for a tailored specification and quotation.

所有机型均可按不同直径、针数与路数配置，欢迎联系我们获取专属选型方案与报价。

llu@youseetech.com · www.youseetech.com



Double knitting machine series

双面针织大圆机系列 · YSFN 机型



YSFN series circular knitting machine

九个机型覆盖单面、双面、提花与调线四大工艺平台，全部采用浸油式 V 型跑道、陶瓷纱咀与自研立式变色头等同一套核心配置。

Nine machine types across four process platforms — plain single and double jersey, jacquard and fancy-yarn colour change — all built on one core platform: oil-bath V raceway, ceramic yarn guides and the in-house vertical colour-change head.

Photos are reference images of the equivalent machine family; specifications are those of the YSFN series.

Single-jersey family
单面系列

Plain single-bed machines without jacquard or fancy yarn — for standard jersey and fleece fabrics.

Double-jersey family
双面系列

Two-bed machines able to switch between rib and interlock structures.

Jacquard family
提花系列

Jacquard cam-box and needle selection for large patterns, inlay and mesh fabrics.

Fancy-yarn family
调线系列

Vertical colour-change head for fancy yarn and striped fabrics.

Machine index

机型索引

01	Single Jersey / Single Fleece 普通单面、单面卫衣大圆机	02	Double Jersey / Interlock 普通双面针织大圆机	03	Open Width Jacquard 单面提花开幅针织大圆机	04	Single Jacquard 单面提花针织大圆机	05	Double Jacquard 双面提花针织大圆机
06	Fancy Yarn 单面调线针织大圆机	07	Double Fancy Yarn 双面调线针织大圆机	08	Jacquard + Fancy Yarn 单面提花调线圆机	09	Double Jacquard + Fancy Yarn 双面提花调线大圆机		



Plain Single-Jersey & Single-Fleece Circular Knitting Machine

普通单面、单面卫衣大圆机



Single Jersey / Single Fleece · 普通单面 · 单面卫衣

适用于普通单面布与卫衣布的基础单面机台。

Entry-level single-bed machines for plain jersey and fleece (sweatshirt) fabrics.

Reference: www.chiyangmachine.com/products-detail-157352

At a glance

规格速览

Size 尺寸	30 / 34
Gauge 针数	16G-36G
Feeds 路数	96 / 108

Machine features

机台特性

- 1 叶床三角设计独特“反扣式”
Unique “reverse-buckle” cam-box triangle design
- 2 本机上下齿轮均采用浸油式V型跑道，机器运行起来更加平稳
Both the upper and the lower gear sets run in an oil bath with a V-shaped raceway, so the machine runs smoother
- 3 氨纶装置由导轮直接输送氨纶到指定编织区域
The elastane (spandex) unit feeds elastane directly from the guide roller into the designated knitting zone
- 4 大胆创新，采用吊式纱咀，避免织针与纱咀摩擦
Bold innovation — a suspended (hanging) yarn guide avoids friction between needle and yarn guide

Machine specifications

机台规格

名称	型号	尺寸 (英寸)	针数	路数
普通单面大圆机	YSFN-S3096	30	16G-36G	96
Plain single-jersey machine	YSFN-S34108	34	16G-36G	108

MODEL 01



Plain Double-Jersey (Interlock) Circular Knitting Machine

普通双面针织大圆机



Double Jersey / Interlock · 普通双面 · 罗纹

双床机台，可织罗纹、互罗纹及其他双面组织结构。

Two-bed machines for rib, interlock and other double-sided fabric structures.

Reference: www.chiyangmachine.com/products-detail-147859

At a glance 规格速览

Size 尺寸	34 / 38
Gauge 针数	16G-36G
Feeds 路数	60-84 / 68-96

Machine features

机台特性

- 1 分体式三角结构
Split cam-box (two-piece triangle) structure for easy tension adjustment
- 2 机台配置了上二段、下四段三角
Configured with two upper cam-box tracks and four lower cylinder-cam tracks
- 3 喂纱咀采用陶瓷纱咀，持续使用时间更长
Ceramic yarn feeders give a longer service life
- 4 本机上下齿轮均采用浸油式V型跑道，机器运行起来更加平稳，即使在高速状态下一样运作平稳
Upper and lower gears run in an oil-bath V-shaped raceway — the machine stays smooth even at high speed
- 5 罗纹布与双面布互换
Rib and double jersey can be interchanged on the same machine

Machine specifications

机台规格

名称	型号	尺寸 (英寸)	针数	路数
普通双面针织大圆机	YSFN-D34XX	34	16G-36G	60-84
Plain double-jersey machine	YSFN-D38XX	38	16G-36G	68-96

MODEL 02



Single-Jersey Jacquard Open-Width Circular Knitting Machine

单面提花开幅针织大圆机



Open Width Jacquard · 单面提花开幅

开幅提花机台，支持大花型编织并可加装氨纶装置。

Open-width jacquard machines for large-format pattern knitting with elastane capability.

At a glance

规格速览

Size 尺寸	26-38
Gauge 针数	16G-36G
Feeds 路数	78-136

Machine features

机台特性

- 1 压针刻度精准，完全达到进口机标准，省去大量调机时间
Precision needle-press scales, fully up to imported-machine standard, saving a great deal of set-up time
- 2 控制系统采用最先进的微处理控制器、触屏式面板
Control system built on the most advanced microprocessor controller with a touch-screen panel
- 3 氨纶装置由导轮直接输送氨纶到指定的编织区域
The elastane unit feeds elastane directly from the guide roller into the designated knitting zone
- 4 更容易更换不同种类的织物，生产效率高，稳定性高
Easier change-over between fabric types, with high output and high stability

Machine specifications

机台规格

名称	型号	尺寸 (英寸)	针数	路数
单面提花开幅针织大圆机	YSFN-ODSXX	26-38	16G-36G	78-136

Open-width circular knitting machine

MODEL 03



Single-Jersey Jacquard Circular Knitting Machine

单面提花针织大圆机



Single Jacquard · 单面提花

单面提花机台，配立式变色头，可加配嵌花（飞线）装置。

Jacquard single-bed machines with vertical colour-change head and inlay capability.

At a glance

规格速览

Size 尺寸	30 / 32 / 34
Gauge 针数	16G-36G *
Feeds 路数	60+1 / 72+1 / 84+1

Machine features

机台特性

- 1 叶床三角设计独特“反扣式”，便于清理
Unique “reverse-buckle” cam-box triangle design for easy cleaning
- 2 独特创新，采用吊式吊纱咀，避免织针与纱咀摩擦
Unique innovation — suspended yarn guides avoid friction between needle and yarn guide
- 3 采用自主研发立式变色头，可以无拆卸，多角度调节，侧翻
In-house developed vertical colour-change head — no dismantling, multi-angle adjustment, side-flip
- 4 采用三功维选针器，不发热，电磁铁
Three-function needle selector driven by a non-heating electromagnet
- 5 可以加配装置，编织飞线（嵌花）
An optional device enables inlay (flying-line) jacquard
- 6 加配装置可以编织网眼布
An optional device enables mesh / lace fabric production

Machine specifications

机台规格

名称	型号	尺寸 (英寸)	针数	路数
单面提花针织大圆机	YSFN-S3060-J	30	16G-36G *	60+1
Single-jersey jacquard machine	YSFN-S3072-J	32	16G-36G *	72+1
	YSFN-S3472-J	34	16G-36G *	72+1
	YSFN-S3484-J	34	16G-36G *	84+1

MODEL 04



Double-Jersey Jacquard Circular Knitting Machine

双面提花针织大圆机



Machine features

机台特性

- 1 机台配置上二段、下提花专用三角
Configured with two upper tracks and a dedicated jacquard cam-box on the lower bed
- 2 喂纱咀采用陶瓷纱咀，V型跑道，机器运行更加平稳
Ceramic yarn feeders with a V-shaped raceway give a smoother, more stable run
- 3 采用三功能电磁铁选针器，解决长时间工作发热问题
Three-function electromagnetic needle selector solves the heat build-up during long production runs

Machine specifications

机台规格

名称	型号	尺寸 (英寸)	针数	路数
双面提花针织大圆机 Double-jersey jacquard machine	YSFN-D3460-J	34	16G-36G *	60+2
	YSFN-D3472-J	34	16G-36G *	72+2
	YSFN-D3868-J	38	16G-36G *	68+2
	YSFN-D3872-J	38	16G-36G *	72+2

Double Jacquard · 双面提花

双面提花机台，下床配提花专用三角，喂纱咀采用陶瓷材质。

Double-bed jacquard machines with a dedicated lower jacquard cam-box and ceramic feeders.

At a glance

规格速览

Size 尺寸	34 / 38
Gauge 针数	16G-36G *
Feeds 路数	60+2 / 72+2 / 68+2

MODEL 05



Single-Jersey Fancy-Yarn (Colour-Change) Circular Knitting Machine

单面调线针织大圆机



Fancy Yarn · 单面调线

单面调线机台，配自主研发立式变色头，可织色纱与条纹织物。

Single-bed machines with a vertical colour-change head for fancy-yarn and striped fabrics.

Machine features

机台特性

- 1 增加纱咀使用时长
Extended yarn-guide service life
- 2 采用自主研发立式变色头，可以无拆卸，多角度调节，侧翻
In-house developed vertical colour-change head — no dismantling, multi-angle adjustment, side-flip

Machine specifications

机台规格

名称	型号	尺寸 (英寸)	针数	路数
单面调线大圆机 Single-jersey fancy-yarn machine	YSFN-S4C3060H	30	16G-32G	60+1
	YSFN-S6C3048H	30	16G-36G *	48+1
	YSFN-S4C3472H	34	16G-36G *	72+1
	YSFN-S6C3454H	34	16G-36G *	54+1

At a glance 规格速览

Size 尺寸	30 / 34
Gauge 针数	16G-32G / 16G-36G *
Feeds 路数	60+1 / 48+1 / 72+1 / 54+1

MODEL 06



Double-Jersey Fancy-Yarn (Colour-Change) Circular Knitting Machine

双面调线针织大圆机

Machine features

机台特性

- 1 LCD 触摸操作系统
LCD touch-screen operating system

Machine specifications

机台规格

MODEL 07



Double Fancy Yarn · 双面调线

双面调线机台，采用 LCD 触摸操作系统。

Double-bed fancy-yarn machines operated from an LCD touch screen.

名称	型号	尺寸 (英寸)	针数	路数
双面调线大圆机 Double-jersey fancy-yarn machine	YSFN-D4C3460H	34	16G-36G *	60+2
	YSFN-D6C3454H	34	16G-36G *	54+2
	YSFN-D6C3656H	36	16G-36G *	56+2
	YSFN-D4C3664H	36	16G-36G *	64+2

At a glance 规格速览

Size 尺寸	34 / 36
Gauge 针数	16G-36G *
Feeds 路数	60+2 / 54+2 / 56+2 / 64+2



Single-Jersey Jacquard Fancy-Yarn Circular Knitting Machine

单面提花调线圆机



Jacquard + Fancy Yarn · 单面提花调线

单面提花机型与调线（色纱）功能的组合。

Combines the single-jersey jacquard feature set with fancy-yarn colour change.

At a glance

规格速览

Size 尺寸	30 / 34
Gauge 针数	16G-32G / 16G-36G *
Feeds 路数	60+1 / 48+1 / 72+1 / 54+1

Machine features

机台特性

- 1 叶床三角设计独特“反扣式”，便于清理
Unique “reverse-buckle” cam-box triangle design for easy cleaning
- 2 独特创新，采用吊式吊纱咀，避免织针与纱咀摩擦
Unique innovation — suspended yarn guides avoid friction between needle and yarn guide
- 3 采用自主研发立式变色头，可以无拆卸，多角度调节，侧翻
In-house developed vertical colour-change head — no dismantling, multi-angle adjustment, side-flip
- 4 采用三功维选针器，不发热，电磁铁
Three-function needle selector driven by a non-heating electromagnet
- 5 可以加配装置，编织飞线（嵌花）
An optional device enables inlay (flying-line) jacquard
- 6 加配装置可以编织网眼布
An optional device enables mesh / lace fabric production

Machine specifications

机台规格

名称	型号	尺寸 (英寸)	针数	路数
单面提花调线圆机	YSFN-S4C3060H-J	30	16G-32G	60+1
Single-jersey jacquard fancy-yarn machine	YSFN-S6C3048H-J	30	16G-36G *	48+1
	YSFN-S4C3472H-J	34	16G-36G *	72+1
	YSFN-S6C3454H-J	34	16G-36G *	54+1

MODEL 08



Double-Jersey Jacquard Fancy-Yarn Circular Knitting Machine

双面提花调线大圆机



Double Jacquard + Fancy Yarn · 双面提花调线

双面提花与调线功能组合的旗舰机台。

The flagship double-bed combination: jacquard selection plus fancy-yarn colour change.

At a glance

规格速览

Size 尺寸	34 / 36
Gauge 针数	16G-36G *
Feeds 路数	60+2 / 54+2 / 56+2 / 64+2

Machine features

机台特性

- 1 机台配置上二段、下提花专用三角
Configured with two upper tracks and a dedicated jacquard cam-box on the lower bed
- 2 独特创新，采用吊式吊纱咀，增加纱咀寿命
Unique innovation — suspended yarn guides extend yarn-guide service life
- 3 采用自主研发立式变色头，可以无拆卸，多角度调节，侧翻
In-house developed vertical colour-change head — no dismantling, multi-angle adjustment, side-flip
- 4 LCD 触摸操作系统
LCD touch-screen operating system
- 5 采用三功能电磁铁选针器，解决长时间工作发热问题
Three-function electromagnetic needle selector solves the heat build-up during long production runs

Machine specifications

机台规格

名称	型号	尺寸 (英寸)	针数	路数
双面提花调线大圆机 Double-jersey jacquard fancy-yarn machine	YSFN-D4C3460H-J	34	16G-36G *	60+2
	YSFN-D6C3454H-J	34	16G-36G *	54+2
	YSFN-D6C3656H-J	36	16G-36G *	56+2
	YSFN-D4C3664H-J	36	16G-36G *	64+2

MODEL 09



YSFN specification summary

YSFN 机型规格总表 — 名称 / 型号 / 尺寸 / 针数 / 路数

机型 01-05 普通 / 提花系列 Machines 01-05

名称 / Name	型号 / Model	尺寸 / Size (in)	针数 / Gauge	路数 / Feeds
普通单面大圆机	YSFN-S3096	30	16G-36G	96
普通单面大圆机	YSFN-S34108	34	16G-36G	108
普通双面针织大圆机	YSFN-D34XX	34	16G-36G	60-84
普通双面针织大圆机	YSFN-D38XX	38	16G-36G	68-96
单面提花开幅针织大圆机	YSFN-ODSXX	26-38	16G-36G	78-136
单面提花针织大圆机	YSFN-S3060-J	30	16G-36G *	60+1
单面提花针织大圆机	YSFN-S3072-J	32	16G-36G *	72+1
单面提花针织大圆机	YSFN-S3472-J	34	16G-36G *	72+1
单面提花针织大圆机	YSFN-S3484-J	34	16G-36G *	84+1
双面提花针织大圆机	YSFN-D3460-J	34	16G-36G *	60+2
双面提花针织大圆机	YSFN-D3472-J	34	16G-36G *	72+2
双面提花针织大圆机	YSFN-D3868-J	38	16G-36G *	68+2
双面提花针织大圆机	YSFN-D3872-J	38	16G-36G *	72+2

机型 06-09 调线 / 提花调线系列 Machines 06-09

名称 / Name	型号 / Model	尺寸 / Size (in)	针数 / Gauge	路数 / Feeds
单面调线大圆机	YSFN-S4C3060H	30	16G-32G	60+1
单面调线大圆机	YSFN-S6C3048H	30	16G-36G *	48+1
单面调线大圆机	YSFN-S4C3472H	34	16G-36G *	72+1
单面调线大圆机	YSFN-S6C3454H	34	16G-36G *	54+1
双面调线大圆机	YSFN-D4C3460H	34	16G-36G *	60+2
双面调线大圆机	YSFN-D6C3454H	34	16G-36G *	54+2
双面调线大圆机	YSFN-D6C3656H	36	16G-36G *	56+2
双面调线大圆机	YSFN-D4C3664H	36	16G-36G *	64+2
单面提花调线圆机	YSFN-S4C3060H-J	30	16G-32G	60+1
单面提花调线圆机	YSFN-S6C3048H-J	30	16G-36G *	48+1
单面提花调线圆机	YSFN-S4C3472H-J	34	16G-36G *	72+1
单面提花调线圆机	YSFN-S6C3454H-J	34	16G-36G *	54+1
双面提花调线大圆机	YSFN-D4C3460H-J	34	16G-36G *	60+2
双面提花调线大圆机	YSFN-D6C3454H-J	34	16G-36G *	54+2
双面提花调线大圆机	YSFN-D6C3656H-J	36	16G-36G *	56+2
双面提花调线大圆机	YSFN-D4C3664H-J	36	16G-36G *	64+2

* 针数(Gauge)栏在原文件中未随文本层提取, 表中标注* 的数值按同系列机型标准配置补全, 实际规格以机器铭牌为准。

* The gauge column was not present in the source text layer; values marked * follow the standard gauge range of the same series. Please confirm against the machine nameplate.

Fabrics produced on the YSFN series

可织织物与工艺应用 — 从普通单面布到提花、嵌花、网眼布与色纱条纹织物



Single jersey
单面汗布



Rib / interlock
双面罗纹



Fleece / sweatshirt
毛圈卫衣布



Jacquard inlay
提花嵌花



Seamless underwear
无缝内衣



Sports / active wear
运动面料



Get in touch

联系我们 — 标准机型与定制自动化方案均可报价

欢迎全球客户来电或来函咨询。无论标准机型还是定制自动化解决方案，我们的工程团队均可提供选型建议、配置方案与商务报价。

We welcome inquiries from customers worldwide. Whether you need a standard product or a customised automation solution, our team of experts is ready to help.

Address / 地址

Fuyong Street, Bao'an District, Shenzhen, Guangdong, China
中国广东省深圳市宝安区福永街道

Email / 邮箱

liu@youseetech.com

WhatsApp / WhatsApp

+86 13924609515 / +57 301 3164298

Established / 成立时间

November 2007
2007 年 11 月

Service area / 服务区域

Worldwide — domestic and international markets
全球市场 — 国内外市场

Website / 网站

www.youseetech.com

Shenzhen Yousee Technology Co., Ltd.

深圳市宇欣达五金电子有限公司 · 中国广东省深圳市宝安区福永街道

Focus on the long-term investment